# NSN 5962-01-161-3501

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-161-3501

# **Body Length:**

Between 0.935 inches and 0.970 inches

# Body Width:

Between 0.245 inches and 0.285 inches

# **Body Height:**

Between 0.125 inches and 0.160 inches

## **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

## Storage Tempurature Range:

-65.0/+150.0 degrees celsius

## **Features Provided:**

Hermetically sealed and 3-state output and dynamic and low power

#### **Inclosure Material:**

Ceramic

#### **Inclosure Configuration:**

Dual-in-line

#### **Output Logic Form:**

Metal oxide-semiconductor logic

#### Input Circuit Pattern:

10 input

# **Design Function And Quantity:**

8 driver, memory

## **Terminal Surface Treatment:**

Solder

## Voltage Rating And Type Per Characteristic:

7.0 volts power source

## **Time Rating Per Chacteristic:**

40.00 nanoseconds propagation delay time, low to high level output and 50.00 nanoseconds propagation delay time, high to low level output

## **Test Data Document:**

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

## Terminal Type And Quantity:

20 printed circuit

#### Shelf Life:

N/a

# Unit Of Measure:

---

## Demilitarization:

Yes - demil/mli

### Fiig:

A458a0