Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-162-4274

Body Len	ngth:
0.785 inch	nes
Body Wid	ith:
0.291 inch	nes
Body Heig	ght:
0.160 inch	nes
Maximum	Power Dissipation Rating:
500.0 milli	iwatts
Operating	g Tempurature Range:
-55.0/+128	5.0 degrees celsius
Storage T	Fempurature Range:
-65.0/+150	0.0 degrees celsius
Features	Provided:
Hermetica	Ily sealed and monolithic and synchronous and asynchronous and w/clock
Inclosure	Material:
Ceramic	
Inclosure	Configuration:
Dual-in-lin	e
Output Lo	ogic Form:
Compleme	entary-metal oxide-semiconductor logic
Input Circ	cuit Pattern:
8 input	
Design Fu	unction And Quantity:
1 counter,	decade, up/down
Terminal	Surface Treatment:
Solder	
Voltage R	tating And Type Per Characteristic:
18.3 volts	power source
Test Data	Document:
96906-mil	-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).
Terminal	Type And Quantity:
16 printed	circuit
Shelf Life	
N/a	
Unit Of M	easure:
Demilitari	ization:
Yes - dem	nil/mli
Fiig:	
A458a0	