NSN 5962-01-163-4157

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-163-4157

Body Length:
Body Length.
0.380 inches
Body Width:
0.250 inches
Body Height:
0.130 inches
Maximum Power Dissipation Rating:
20.0 milliwatts
Operating Tempurature Range:
-30.0/+85.0 degrees celsius
Storage Tempurature Range:
-30.0/+85.0 degrees celsius
Features Provided:
Low noise and negative outputs and positive outputs
Inclosure Material:
Plastic
Inclosure Configuration:
Dual-in-line
Input Circuit Pattern:
3 input
Design Function And Quantity:
Design Function And Quantity: 1 amplifier, intermediate frequency
1 amplifier, intermediate frequency
1 amplifier, intermediate frequency Terminal Surface Treatment:
1 amplifier, intermediate frequency Terminal Surface Treatment: Solder
1 amplifier, intermediate frequency Terminal Surface Treatment: Solder Voltage Rating And Type Per Characteristic:
1 amplifier, intermediate frequency Terminal Surface Treatment: Solder Voltage Rating And Type Per Characteristic: 9.0 volts power source
1 amplifier, intermediate frequency Terminal Surface Treatment: Solder Voltage Rating And Type Per Characteristic: 9.0 volts power source Terminal Type And Quantity:
1 amplifier, intermediate frequency Terminal Surface Treatment: Solder Voltage Rating And Type Per Characteristic: 9.0 volts power source Terminal Type And Quantity: 8 printed circuit
1 amplifier, intermediate frequency Terminal Surface Treatment: Solder Voltage Rating And Type Per Characteristic: 9.0 volts power source Terminal Type And Quantity: 8 printed circuit Shelf Life:
1 amplifier, intermediate frequency Terminal Surface Treatment: Solder Voltage Rating And Type Per Characteristic: 9.0 volts power source Terminal Type And Quantity: 8 printed circuit Shelf Life: N/a
1 amplifier, intermediate frequency Terminal Surface Treatment: Solder Voltage Rating And Type Per Characteristic: 9.0 volts power source Terminal Type And Quantity: 8 printed circuit Shelf Life: N/a Unit Of Measure:
1 amplifier, intermediate frequency Terminal Surface Treatment: Solder Voltage Rating And Type Per Characteristic: 9.0 volts power source Terminal Type And Quantity: 8 printed circuit Shelf Life: N/a Unit Of Measure:
1 amplifier, intermediate frequency Terminal Surface Treatment: Solder Voltage Rating And Type Per Characteristic: 9.0 volts power source Terminal Type And Quantity: 8 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization:
1 amplifier, intermediate frequency Terminal Surface Treatment: Solder Voltage Rating And Type Per Characteristic: 9.0 volts power source Terminal Type And Quantity: 8 printed circuit Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli