## NSN 5962-01-164-5281

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-164-5281 **Body Length:** 0.880 inches **Body Width:** 0.520 inches **Body Height:** 0.195 inches **Operating Tempurature Range:** -55.0/+85.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **End Application:** Test set, countermeasures an/usm-464 **Features Provided:** Hermetically sealed and high frequency and hybrid and fast settling and burn in **Inclosure Material:** Ceramic or glass or metal **Inclosure Configuration:** Dual-in-line **Input Circuit Pattern:** 8 input **Design Function And Quantity:** 1 amplifier, operational, general purpose **Terminal Surface Treatment:** Solder **Voltage Rating And Type Per Characteristic:** 16.0 volts power source **Test Data Document:** 94117-324022 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Terminal Type And Quantity:** 14 printed circuit Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** 

Yes - demil/mli

Fiig:

A458a0