# NSN 5962-01-166-0102

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-166-0102

## **Body Outside Diameter:**

Between 0.359 inches and 0.362 inches

### **Body Height:**

Between 0.178 inches and 0.186 inches

## Maximum Power Dissipation Rating:

600.0 milliwatts

#### **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

#### Storage Tempurature Range:

-65.0/+175.0 degrees celsius

#### **End Application:**

5865-01-096-4994 simulator, radar

#### **Features Provided:**

Hermetically sealed and high precision and temperature compensated and laser trimmed

#### Inclosure Material:

Metal

## Inclosure Configuration:

Can

#### Input Circuit Pattern:

1 input

#### **Design Function And Quantity:**

1 reference, voltage, analog

#### **Case Outline Source And Designator:**

T0-5 joint electron device engineering council

#### **Terminal Surface Treatment:**

Solder

#### Voltage Rating And Type Per Characteristic:

40.0 volts power source

#### **Test Data Document:**

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

#### Terminal Type And Quantity:

3 pin

## Shelf Life:

N/a

## Unit Of Measure:

--

#### Demilitarization:

Yes - demil/mli

Fiig:

A458a0