NSN 5962-01-169-3084

Memory Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-169-3084

Overall Height:
0.345 inches
Body Length:
Between 1.235 inches and 1.285 inches
Body Width:
Between 0.515 inches and 0.600 inches
Body Height:
0.205 inches
Maximum Power Dissipation Rating:
150.0 milliwatts
Operating Tempurature Range:
-10.0/+80.0 degrees celsius
Storage Tempurature Range:
-65.0/+125.0 degrees celsius
End Application:
1430-00-937-0897 monitor-program
Features Provided:
Ultraviolet erasable and static operation and 3-state output and monolithic and w/enable and hermetically sealed
Inclosure Material:
Ceramic
Inclosure Configuration:
Dual-in-line
Output Logic Form:
Transistor-transistor logic
Input Circuit Pattern:
14 input
Terminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
-0.3 volts power source and 6.0 volts power source
Memory Device Type:
Rom
Test Data Document:
96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).
Terminal Type And Quantity:
24 printed circuit
Specification Data:
18876-10246116 manufacturers source control
Shelf Life:
N/a
Unit Of Measure:

NSN 5962-01-169-3084

Memory Microcircuit - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A458a0