# NSN 5962-01-169-6019

Memory Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-169-6019

# **Body Length:**

Between 0.755 inches and 0.785 inches

## **Body Width:**

Between 0.265 inches and 0.291 inches

## **Body Height:**

0.199 inches

# **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

## Storage Tempurature Range:

-65.0/+150.0 degrees celsius

## **Features Provided:**

Programmable and schottky and wire-or outputs

#### **Inclosure Material:**

Ceramic

#### Inclosure Configuration:

Dual-in-line

## **Output Logic Form:**

Transistor-transistor logic

# Input Circuit Pattern:

10 input

**Terminal Surface Treatment:** 

Solder

## Voltage Rating And Type Per Characteristic:

-0.5 volts power source and 7.0 volts power source

## Time Rating Per Chacteristic:

60.00 nanoseconds propagation delay time, low to high level output and 60.00 nanoseconds propagation delay time, high to low level output

## Memory Device Type:

Prom

## **Memory Capacity:**

Unknown

## **Terminal Type And Quantity:**

16 printed circuit

#### Shelf Life:

N/a

# Unit Of Measure:

---

## Demilitarization:

Yes - demil/mli

#### Fiig:

A458a0