## NSN 5962-01-173-2551

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-173-2551

| view Online at https://aerobasegroup.com/nsr//5962-t |
|--|
| Body Length:   |
| Between 0.560 inches and 0.625 inches                |
| Body Width:  |
| Between 0.380 inches and 0.420 inches                |
| Body Height:   |
| Between 0.140 inches and 0.190 inches                |
| Maximum Power Dissipation Rating:                    |
| 200.0 milliwatts                                     |
| Operating Tempurature Range:                         |
| -0.0/+150.0 degrees celsius                          |
| Storage Tempurature Range:                           |
| -65.0/+150.0 degrees celsius                         |
| End Application:                                     |
| 6625-01-055-2827 counter, electro                    |
| Features Provided:                                   |
| Negative outputs and positive outputs and monolithic |
| Inclosure Material:                                  |
| Plastic  |
| Inclosure Configuration:                             |
| Single-in-line                                       |
| Input Circuit Pattern:                               |
| 1 input  |
| Design Function And Quantity:                        |
| 1 regulator, voltage                                 |
| Case Outline Source And Designator:                  |
| T0-220 joint electron device engineering council     |
| Terminal Surface Treatment:                          |
| Solder   |
| Voltage Rating And Type Per Characteristic:          |
| 35.0 volts power source                              |
| Terminal Type And Quantity:                          |
| 3 pin  |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:                                     |
|  |
| Demilitarization:                                    |
| Yes - demil/mli                                      |

Fiig:

A458a0