NSN 5962-01-176-3070

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-176-3070

Body Length:

1.060 inches

Body Width:

Between 0.634 inches and 0.646 inches

Body Height:

0.105 inches

Maximum Power Dissipation Rating:

125.0 milliwatts

Operating Tempurature Range:

-55.0/+125.0 degrees celsius

Storage Tempurature Range:

-65.0/+150.0 degrees celsius

Features Provided:

Asynchronous and burn in and compatible cmos and electrostatic sensitive and hermetically sealed and high reliability and monolithic and

negative edge triggered and positive outputs and resettable and reversible and w/clock and 3-state output

Inclosure Material:

Ceramic and metal

Inclosure Configuration:

Dual-in-line

Output Logic Form:

Complementary-metal oxide-semiconductor logic

Input Circuit Pattern:

3 channel and 16 input

Design Function And Quantity:

3 counter, pulse

Terminal Surface Treatment:

Solder

Voltage Rating And Type Per Characteristic:

9.0 volts power source

Test Data Document:

88818-a574a978 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing,

etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Terminal Type And Quantity:

42 printed circuit

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A458a0