# NSN 5962-01-176-4588

Memory Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-176-4588

# Body Length:

1.230 inches

# **Body Width:**

Between 0.580 inches and 0.620 inches

# **Body Height:**

0.180 inches

#### **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

#### Storage Tempurature Range:

-65.0/+150.0 degrees celsius

## **End Application:**

Sof ac-130h, mc-130h, ec-130e, hc-130, f-14 tomcat, f-16, f-111, av-8b harrier, ea-6b prowler, ta-j4, f-15 eagle, f/a-18 hornet aircraft.

#### **Features Provided:**

Programmable and schottky and bipolar

#### **Inclosure Material:**

Ceramic

#### Inclosure Configuration:

Dual-in-line

## **Output Logic Form:**

Transistor-transistor logic

## Input Circuit Pattern:

14 input

#### **Criticality Code Justification:**

Feat

## **Terminal Surface Treatment:**

Solder

## Voltage Rating And Type Per Characteristic:

-0.5 volts power source and 7.0 volts power source

## **Time Rating Per Chacteristic:**

45.00 nanoseconds propagation delay time, low to high level output and 45.00 nanoseconds propagation delay time, high to low level output

#### output

Memory Device Type:

Rom

#### **Special Features:**

Weapon system essential

#### **Test Data Document:**

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

#### **Terminal Type And Quantity:**

24 printed circuit

#### Shelf Life:

N/a

#### Unit Of Measure:

# NSN 5962-01-176-4588

Memory Microcircuit - Page 2 of 2

# Demilitarization:

Yes - demil/mli

Fiig:

A458a0

