

View Online at <https://aerobasegroup.com/nsn/5962-01-180-8277>

Body Length:

0.790 inches

Body Width:

0.310 inches

Body Height:

0.200 inches

Maximum Power Dissipation Rating:

680.0 milliwatts

Operating Temperature Range:

+00.0/+70.0 degrees celsius

Storage Temperature Range:

-65.0/+150.0 degrees celsius

End Application:

Nimitz class cvn; kidd class ddg; forrestal class cv; oliver perry class ffg; wasp class lhd; arleigh burke class ddg; landing craft air cushion (lcac); spruance class dd (963); ticonderoga class cg (47); los angeles class ssn (688)

Features Provided:

Low power and low noise and high slew rate and bipolar

Inclosure Material:

Plastic

Inclosure Configuration:

Dual-in-line

Input Circuit Pattern:

Quad 2 input

Criticality Code Justification:

Feat

Design Function And Quantity:

4 amplifier, operational, general purpose

Terminal Surface Treatment:

Solder

Voltage Rating And Type Per Characteristic:

15.0 volts power source

Special Features:

Weapon system essential

Terminal Type And Quantity:

14 printed circuit

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A458a0