## NSN 5962-01-186-6590

Digital Microcircuit - Page 1 of 1



view Online at https://aerobasegroup.com/hsh/5962-01-186-6590
Body Length:
Between 1.980 inches and 2.020 inches
Body Width:
Between 0.515 inches and 0.600 inches
Body Height:
0.155 inches
Maximum Power Dissipation Rating:
500.0 milliwatts
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
Features Provided:
W/clock and w/clear and low power and high noise
Inclosure Material:
Ceramic
Inclosure Configuration:
Dual-in-line
Output Logic Form:
Complementary-metal oxide-semiconductor logic
Input Circuit Pattern:
23 input
Design Function And Quantity:
1 microprocessor
Terminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
11.5 volts power source
Time Rating Per Chacteristic:
600.00 nanoseconds propagation delay time, low to high level output and 600.00 nanoseconds propagation delay time, high to low level
output
Test Data Document:
96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).
Terminal Type And Quantity:
40 printed circuit
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

Fiig:

A458a0

Yes - demil/mli