NSN 5962-01-191-4434



Memory Microcircuit - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5962-01-191-4434 **Body Length:** Between 0.694 inches and 0.715 inches **Body Width:** Between 0.694 inches and 0.715 inches **Body Height:** 0.100 inches **Maximum Power Dissipation Rating:** 2.0 watts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **End Application:** 1270-01-132-2680 transmitter **Features Provided:** Monolithic **Inclosure Material:** Metal **Inclosure Configuration:** Flat pack **Output Logic Form:** Transistor-transistor logic **Input Circuit Pattern:** 32 input **Terminal Surface Treatment:** Gold Voltage Rating And Type Per Characteristic: 6.1 volts power source **Precious Material And Location:** All exposed metal and metalized area gold **Precious Material:** Gold **Test Data Document:** 97942-586r544 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) **Terminal Type And Quantity:** 64 flat leads Shelf Life: N/a

Demilitarization:

Unit Of Measure:

Yes - demil/mli

NSN 5962-01-191-4434

Memory Microcircuit - Page 2 of 2



Fiig:

A458a0