## NSN 5962-01-194-1722

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-194-1722 **Body Length:** 2.000 inches **Body Width:** 2.000 inches **Body Height:** 0.400 inches **Operating Tempurature Range:** -0.0/+70.0 degrees celsius Storage Tempurature Range: -55.0/+125.0 degrees celsius **End Application:** Receiving set, countermeasures an/wlq- (v) **Features Provided:** Hermetically sealed and high speed and high impedance and w/field effect transistor switch and w/resistor **Inclosure Material:** Ceramic **Inclosure Configuration:** Dual-in-line **Input Circuit Pattern:** 3 input **Design Function And Quantity:** 1 amplifier, sample/hold **Terminal Surface Treatment:** Gold Voltage Rating And Type Per Characteristic: 10.0 volts power source **Time Rating Per Chacteristic:** 80.00 nanoseconds propagation delay time, low to high level output and 80.00 nanoseconds propagation delay time, high to low level output **Precious Material And Location:** Terminal surfaces gold **Precious Material:** Gold **Terminal Type And Quantity:** 12 printed circuit Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** 

Yes - demil/mli

Fiig:

A458a0