NSN 5962-01-198-0262

Linear Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-198-0262

Overall	Height:
---------	---------

Between 0.325 inches and 0.400 inches

Body Length:

Between 0.755 inches and 0.785 inches

Body Width:

Between 0.220 inches and 0.310 inches

Body Height:

Between 0.140 inches and 0.185 inches

Maximum Power Dissipation Rating:

300.0 milliwatts

Operating Tempurature Range:

-55.0/+125.0 degrees celsius

Storage Tempurature Range:

-65.0/+150.0 degrees celsius

End Application:

Nsn 5821-01-387-0594; receiver-transmitter, radio

Features Provided:

Monolithic and positive outputs and low power

Inclosure Material:

Ceramic

Inclosure Configuration:

Dual-in-line

Input Circuit Pattern:

Quad 2 input

Design Function And Quantity:

4 amplifier, operational, general purpose

Case Outline Source And Designator:

D-1 mil-m-38510

Terminal Surface Treatment:

Solder

Product Name:

Microcircuit linerar - low power quad op amp

Voltage Rating And Type Per Characteristic:

18.0 volts power source

Test Data Document:

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

Terminal Type And Quantity:

14 printed circuit

Shelf Life:

N/a

Unit Of Measure:

--

NSN 5962-01-198-0262

Linear Microcircuit - Page 2 of 2



_					
11	em)	 tor	172	n	

No

Fiig:

A458a0