# NSN 5962-01-198-2186

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-198-2186

# Body Length:

0.440 inches

# Body Width:

Between 0.245 inches and 0.285 inches

# **Body Height:**

Between 0.045 inches and 0.085 inches

# **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

# Storage Tempurature Range:

-65.0/+150.0 degrees celsius

# **Features Provided:**

Hermetically sealed and monolithic and edge triggered

# **Inclosure Material:**

Ceramic

#### Inclosure Configuration:

Flat pack

#### Output Logic Form:

Complementary-metal oxide-semiconductor logic

# Input Circuit Pattern:

8 input

# **Design Function And Quantity:**

6 flip-flop, d-type

# Case Outline Source And Designator:

F-5 mil-m-38510

# **Terminal Surface Treatment:**

Solder

# Voltage Rating And Type Per Characteristic:

18.5 volts power source

# Time Rating Per Chacteristic:

48.00 nanoseconds propagation delay time, low to high level output and 48.00 nanoseconds propagation delay time, high to low level output

# Test Data Document:

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

# Terminal Type And Quantity:

16 flat leads

#### Shelf Life:

N/a

# Unit Of Measure:

---

# Demilitarization:

Yes - demil/mli

#### Fiig:

A458a0