NSN 5962-01-198-9630

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-198-9630

Body Length:
1.575 inches
Body Width:
1.050 inches
Body Height:
Between 0.250 inches and 0.450 inches
Maximum Power Dissipation Rating:
30.0 watts
Operating Tempurature Range:
-55.0/+150.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
End Application:
Simulator an/ulq-13
Features Provided:
Hermetically sealed and fixed
Inclosure Material:
Metal
Inclosure Configuration:
Can
Input Circuit Pattern:
input offcult i attern.
1 input
•
1 input
1 input Design Function And Quantity:
1 input Design Function And Quantity: 1 regulator, voltage, dc
1 input Design Function And Quantity: 1 regulator, voltage, dc Case Outline Source And Designator:
1 input Design Function And Quantity: 1 regulator, voltage, dc Case Outline Source And Designator: T0-3 joint electron device engineering council
1 input Design Function And Quantity: 1 regulator, voltage, dc Case Outline Source And Designator: T0-3 joint electron device engineering council Terminal Surface Treatment:
1 input Design Function And Quantity: 1 regulator, voltage, dc Case Outline Source And Designator: T0-3 joint electron device engineering council Terminal Surface Treatment: Solder
1 input Design Function And Quantity: 1 regulator, voltage, dc Case Outline Source And Designator: T0-3 joint electron device engineering council Terminal Surface Treatment: Solder Voltage Rating And Type Per Characteristic:
1 input Design Function And Quantity: 1 regulator, voltage, dc Case Outline Source And Designator: T0-3 joint electron device engineering council Terminal Surface Treatment: Solder Voltage Rating And Type Per Characteristic: 35.0 volts power source
1 input Design Function And Quantity: 1 regulator, voltage, dc Case Outline Source And Designator: T0-3 joint electron device engineering council Terminal Surface Treatment: Solder Voltage Rating And Type Per Characteristic: 35.0 volts power source Terminal Type And Quantity:
1 input Design Function And Quantity: 1 regulator, voltage, dc Case Outline Source And Designator: T0-3 joint electron device engineering council Terminal Surface Treatment: Solder Voltage Rating And Type Per Characteristic: 35.0 volts power source Terminal Type And Quantity: 2 pin
1 input Design Function And Quantity: 1 regulator, voltage, dc Case Outline Source And Designator: T0-3 joint electron device engineering council Terminal Surface Treatment: Solder Voltage Rating And Type Per Characteristic: 35.0 volts power source Terminal Type And Quantity: 2 pin Shelf Life:
1 input Design Function And Quantity: 1 regulator, voltage, dc Case Outline Source And Designator: T0-3 joint electron device engineering council Terminal Surface Treatment: Solder Voltage Rating And Type Per Characteristic: 35.0 volts power source Terminal Type And Quantity: 2 pin Shelf Life: N/a
1 input Design Function And Quantity: 1 regulator, voltage, dc Case Outline Source And Designator: T0-3 joint electron device engineering council Terminal Surface Treatment: Solder Voltage Rating And Type Per Characteristic: 35.0 volts power source Terminal Type And Quantity: 2 pin Shelf Life: N/a
1 input Design Function And Quantity: 1 regulator, voltage, dc Case Outline Source And Designator: T0-3 joint electron device engineering council Terminal Surface Treatment: Solder Voltage Rating And Type Per Characteristic: 35.0 volts power source Terminal Type And Quantity: 2 pin Shelf Life: N/a Unit Of Measure:

A458a0