## NSN 5962-01-201-2980

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-201-2980

| View Online at https://aerobasegroup.com/nsn/5962-01-201-2980     |
|---|
| Body Length:  |
| Between 0.860 inches and 0.985 inches                             |
| Body Width:   |
| Between 0.050 inches and 0.080 inches                             |
| Body Height:  |
| Between 0.370 inches and 0.434 inches                             |
| Maximum Power Dissipation Rating:                                 |
| 220.0 milliwatts  |
| Operating Tempurature Range:                                      |
| -55.0/+125.0 degrees celsius                                      |
| Storage Tempurature Range:  |
| -55.0/+150.0 degrees celsius                                      |
| Features Provided:  |
| Electrostatic sensitive and hermetically sealed and retriggerable |
| Inclosure Material:   |
| Ceramic and glass   |
| Inclosure Configuration:  |
| Flat pack   |
| Output Logic Form:  |
| Transistor-transistor logic                                       |
| Input Circuit Pattern:  |
| Dual 2 input  |
| Design Function And Quantity:                                     |
| 1 multivibrator, monostable                                       |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
|   |
| Demilitarization:   |
| Yes - demil/mli   |
| Fiig:   |
| A458a0  |