Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-201-6351

Body Length:	
0.756 inches	
Body Width:	
0.310 inches	
Body Height:	
0.180 inches	
Maximum Power Di	ssipation Rating:
1.75 watts	
Operating Tempura	ure Range:
-20.0/+70.0 degrees	celsius
Storage Tempuratu	e Range:
-40.0/+150.0 degree	celsius
Features Provided:	
Hermetically sealed a	nd burn in and positive outputs and monolithic
Inclosure Material:	
Ceramic	
Inclosure Configura	tion:
Dual-in-line	
Output Logic Form	
Metal oxide-semicon	luctor logic
Input Circuit Patter	: :
Quad 1 input	
Design Function Ar	d Quantity:
4 driver	
Terminal Surface T	eatment:
Solder	
Voltage Rating And	Type Per Characteristic:
12.0 volts power sou	rce
Time Rating Per Ch	acteristic:
30.00 nanoseconds	propagation delay time, low to high level output and 30.00 nanoseconds propagation delay time, high to low level
output	
Test Data Documen	::
96906-mil-std-883 st	andard (includes industry or association standards, individual manufactureer standards, etc.).
Terminal Type And	Quantity:
14 printed circuit	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
Yes - demil/mli	
Fiig:	
- A458a0	