NSN 5962-01-203-6140

Linear Microcircuit - Page 1 of 1



962-01-203-6140

| View Online at https://aerobasegroup.com/nsn/59 |
|---|
| Body Length: |
| Between 0.370 inches and 0.390 inches |
| Body Width: |
| Between 0.305 inches and 0.315 inches |
| Body Height: |
| Between 0.128 inches and 0.132 inches |
| Maximum Power Dissipation Rating: |
| 250.0 milliwatts |
| Operating Tempurature Range: |
| -0.0/+70.0 degrees celsius |
| Storage Tempurature Range: |
| -65.0/+150.0 degrees celsius |
| End Application: |
| 6625-01-079-1762 multimeter |
| Features Provided: |
| Electrostatic sensitive and low power |
| Inclosure Material: |
| Plastic |
| Inclosure Configuration: |
| Dual-in-line |
| Input Circuit Pattern: |
| 2 input |
| Design Function And Quantity: |
| 1 amplifier, operational, general purpose |
| Terminal Surface Treatment: |
| Solder |
| Voltage Rating And Type Per Characteristic: |
| 9.0 volts power source |
| Terminal Type And Quantity: |
| 8 printed circuit |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| Yes - demil/mli |

Fiig:

A458a0