## NSN 5962-01-204-1256

Linear Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-204-1256

Body Lengt	n:
1.197 inches	
Body Width	
1.050 inches	
Body Heigh	
0.352 inches	
Maximum P	ower Dissipation Rating:
5.8 watts	
Operating T	empurature Range:
-55.0/+125.0	degrees celsius
Storage Ten	npurature Range:
-65.0/+150.0	degrees celsius
Features Pre	ovided:
Hermetically	sealed and burn in and w/resistor and adjustable
Inclosure M	aterial:
Metal	
Inclosure Co	onfiguration:
Can	
Input Circui	t Pattern:
1 input	
Design Fund	ction And Quantity:
1 regulator,	voltage
Current Rat	ng Per Characteristic:
3.00 milliamp	peres load
Terminal Su	rface Treatment:
Solder	
Product Nar	ne:
Voltage regu	lator, negative
Voltage Rat	ng And Type Per Characteristic:
-40.0 volts p	ower source
Special Feat	ures:
2-hole flange	mounted
Test Data D	ocument:
81349-mil-m	-38510 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; exclu	udes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environment	al and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Terminal Ty	pe And Quantity:
3 pin	
Specificatio	n Data:
81349-mil-m	-38510/118 government specification
Shelf Life:	
N/a	

N/a

- Unit Of Measure:
- ---

## NSN 5962-01-204-1256

Linear Microcircuit - Page 2 of 2

## Demilitarization:

Yes - demil/mli

Fiig:

A458a0

