## NSN 5962-01-208-3611

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-208-3611 **Body Length:** 1.060 inches **Body Width:** Between 0.290 inches and 0.320 inches **Body Height:** 0.185 inches **Maximum Power Dissipation Rating:** 896.0 milliwatts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **Features Provided:** Schottky and edge triggered and 3-state output and monolithic and electrostatic sensitive **Inclosure Material:** Ceramic or glass or metal **Inclosure Configuration:** Dual-in-line **Output Logic Form:** Transistor-transistor logic **Input Circuit Pattern:** Octal 3 input **Criticality Code Justification:** Cbbl **Design Function And Quantity:** 8 flip-flop, d-type **Case Outline Source And Designator:** D-8 mil-m-38510 **Terminal Surface Treatment:** Solder **Voltage Rating And Type Per Characteristic:** 7.0 volts power source **Test Data Document:** 96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.). **Terminal Type And Quantity:** 20 printed circuit Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** 

Yes - demil/mli

## NSN 5962-01-208-3611

Digital Microcircuit - Page 2 of 2



Fiig:

A458a0