NSN 5962-01-213-6512

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-213-6512

View Online at https://aerobasegroup.com/nsn/5962-01-213-6512
Body Length:
Between 0.942 inches and 0.998 inches
Body Width:
Between 0.272 inches and 0.291 inches
Body Height:
Between 0.135 inches and 0.166 inches
Maximum Power Dissipation Rating:
450.0 milliwatts
Operating Tempurature Range:
-40.0/+85.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
End Application:
Missile mx peacekeeper, aircraft f-16
Features Provided:
Hermetically sealed and 3-state output and high speed and low power and w/enable
Inclosure Material:
Ceramic
Inclosure Configuration:
Dual-in-line
Output Logic Form:
Complementary-metal oxide-semiconductor logic
Input Circuit Pattern:
18 input
Criticality Code Justification:
Feat
Design Function And Quantity:
8 transceiver
Terminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
-0.5 volts power source and 7.0 volts power source
Time Rating Per Chacteristic:
15.00 nanoseconds agc threshold blank and 15.00 nanoseconds agc threshold of standard range
Special Features:
Weapons system essential
Terminal Type And Quantity:
20 printed circuit
Shelf Life:
N/a
Unit Of Measure:

--

NSN 5962-01-213-6512

Digital Microcircuit - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A458a0