NSN 5962-01-217-8794

Digital Microcircuit - Page 1 of 1

A458a0



View Online at https://aerobasegroup.com/nsn/5962-01-217-8794

Body Length:
Between 0.930 inches and 0.975 inches
Body Width:
Between 0.245 inches and 0.300 inches
Body Height:
0.180 inches
Maximum Power Dissipation Rating:
1375.0 milliwatts
Storage Tempurature Range:
-65.0 to 150.0 degrees celsius
Features Provided:
Monolithic and high speed and low power and w/enable
Inclosure Material:
Ceramic and glass
Inclosure Configuration:
Dual-in-line
Output Logic Form:
Transistor-transistor logic
Input Circuit Pattern:
8 channel and 16 input
Design Function And Quantity:
1 transceiver
Terminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
7.0 volts power source
Time Rating Per Chacteristic:
20.00 nanoseconds propagation delay time, low to high level output and 20.00 nanoseconds propagation delay time, high to low level
output
Test Data Document:
96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).
Terminal Type And Quantity:
20 printed circuit
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:
Yes - demil/mli
Fiig: