## NSN 5962-01-219-6685

Memory Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-219-6685

| Body Length:  |
|---|
| 1.200 inches  |
| Body Width:   |
| 0.610 inches  |
| Body Height:  |
| 0.180 inches  |
| Operating Tempurature Range:                                |
| -55.0/+125.0 degrees celsius                                |
| Storage Tempurature Range:                                  |
| -65.0/+150.0 degrees celsius                                |
| Features Provided:  |
| Hermetically sealed and programmed and bipolar and schottky |
| Inclosure Material:   |
| Ceramic   |
| Inclosure Configuration:                                    |
| Dual-in-line  |
| Output Logic Form:  |
| Transistor-transistor logic                                 |
| Input Circuit Pattern:                                      |
| 14 input  |
| Terminal Surface Treatment:                                 |
| Solder  |
| Voltage Rating And Type Per Characteristic:                 |
| 7.0 volts total supply                                      |
| Time Rating Per Chacteristic:                               |
| Err-060 hand pull and err-060 hand                          |
| Memory Device Type:   |
| Prom  |
| Terminal Type And Quantity:                                 |
| 24 printed circuit  |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
|   |
| Demilitarization:   |
| Yes - demil/mli   |
| Fiig:   |
| A458a0  |
|   |
|   |