# NSN 5962-01-229-4028

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-229-4028

# **Body Length:**

Between 0.755 inches and 0.785 inches

# **Body Width:**

0.280 inches

# Body Height:

0.180 inches

### **Operating Tempurature Range:**

-55.0 to 125.0 degrees celsius

#### Storage Tempurature Range:

-65.0 to 150.0 degrees celsius

# **Features Provided:**

3-state output and high speed and electrostatic sensitive

#### **Inclosure Material:**

Ceramic or metal

# Inclosure Configuration:

Dual-in-line

### **Output Logic Form:**

Transistor-transistor logic

#### Input Circuit Pattern:

8 input

**Design Function And Quantity:** 

6 buffer, inverting

# **Terminal Surface Treatment:**

Solder

# Voltage Rating And Type Per Characteristic:

7.0 volts power source

# **Time Rating Per Chacteristic:**

13.00 nanoseconds propagation delay time, low to high level output and 12.00 nanoseconds propagation delay time, high to low level output

# **Test Data Document:**

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

# Terminal Type And Quantity:

16 printed circuit

#### Shelf Life:

N/a

# Unit Of Measure:

---

# Demilitarization:

Yes - demil/mli

### Fiig:

A458a0