NSN 5962-01-231-3436

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-231-3436

Body Length:						
0.785 inches						
Body Width:						
Between 0.220 inches and 0.310 inches						
Body Height:						
0.185 inches						
Maximum Power Dissipation Rating:						
500.0 milliwatts						
Operating Tempurature Range:						
-55.0/+125.0 degrees celsius						
Storage Tempurature Range:						
-65.0/+150.0 degrees celsius						
Features Provided:						
Electrostatic sensitive and hermetically sealed and burn in and w/schmitt trigger						
Inclosure Material:						
Ceramic						
Inclosure Configuration:						
Dual-in-line						
Output Logic Form:						
Complementary-metal oxide-semiconductor logic						
Input Circuit Pattern:						
Quad 2 input						
Criticality Code Justification:						
Feat						
Design Function And Quantity:						
4 gate, nand						
Case Outline Source And Designator:						
D-1 mil-m-38510						
Terminal Surface Treatment:						
Solder						
Voltage Rating And Type Per Characteristic:						
-0.5 volts power source and 7.0 volts power source						
Special Features:						
Hardness critical item						
Nuclear Hardness Critical Feature:						
Hardened						
Test Data Document:						
96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).						
Terminal Type And Quantity:						
14 printed circuit						
Shelf Life:						

N/a

NSN 5962-01-231-3436

Digital Microcircuit - Page 2 of 2



	• •				
In	18	<i>(</i>)+	МЛО	201	ure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A458a0