NSN 5962-01-234-9309

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-234-9309

Body Length:	
0.390 inches	
Body Width:	
0.260 inches	
Body Height:	
0.085 inches	
Maximum Power Dissipation Rating:	
85.3 milliwatts	
Operating Tempurature Range:	
-55.0/+125.0 degrees celsius	
Storage Tempurature Range:	
-65.0/+150.0 degrees celsius	
Features Provided:	
Schottky and monolithic	
Inclosure Material:	
Ceramic	
Inclosure Configuration:	
Flat pack	
Output Logic Form:	
Transistor-transistor logic	
Input Circuit Pattern:	
Quad 2 input	
Design Function And Quantity:	
4 gate, or	
Case Outline Source And Designator:	
F-2 mil-m-38510	
Terminal Surface Treatment:	
Solder	
Voltage Rating And Type Per Characteristic:	
7.0 volts power source	
Special Features:	
Nuclear hardness critical items	
Nuclear Hardness Critical Feature:	
Hardened	
Test Data Document:	
81349-mil-m-38510 specification (includes engineering type	e bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories	, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test cond	ditions that are shown as "typical", "average", "", etc.).
Terminal Type And Quantity:	
14 flat leads	
Specification Data:	
81349-mil-m-38510/335 government specification	
Shelf Life:	

Shelf Life:

N/a

NSN 5962-01-234-9309

Digital Microcircuit - Page 2 of 2

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A458a0

