NSN 5962-01-235-2433

Digital Microcircuit - Page 1 of 2

Yes - demil/mli



View Online at https://aerobasegroup.com/nsn/5962-01-235-2433

view Unline at https://aerob	asegroup.com/nsn/5962-01-235-2433
Body Length:	
0.840 inches	
Body Width:	
0.310 inches	
Body Height:	
0.185 inches	
Maximum Power Dissipati	on Rating:
110.0 milliwatts	
Operating Tempurature Ra	ange:
-55.0/+125.0 degrees celsiu	IS
Storage Tempurature Ran	ge:
-65.0/+150.0 degrees celsiu	IS
Features Provided:	
Monolithic and schottky and	low power
Inclosure Material:	
Ceramic	
Inclosure Configuration:	
Dual-in-line	
Output Logic Form:	
Transistor-transistor logic	
Input Circuit Pattern:	
9 input	
Design Function And Qua	ntity:
1 flip-flop, j-k	
Case Outline Source And	Designator:
D-2 mil-m-38510	
Terminal Surface Treatme	nt:
Solder	
Voltage Rating And Type I	Per Characteristic:
7.0 volts power source	
Test Data Document:	
81349-mil-m-38510 specific	ation (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
	al catalogs, industry directories, and similar trade publications, reflecting general type data on certain
	ance requirements and test conditions that are shown as "typical", "average", "", etc.).
Terminal Type And Quanti	
16 printed circuit	
Specification Data:	
81349-mil-m-38510/360 gov	vernment specification
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	

NSN 5962-01-235-2433

Digital Microcircuit - Page 2 of 2

Fiig: A458a0

