NSN 5962-01-235-3486

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-235-3486

Body Length:	
0.390 inches	
Body Width: 0.260 inches	
Body Height:	
0.085 inches	
Maximum Power Dissipatio	n Poting.
53.0 milliwatts	r Kaung.
Operating Tempurature Rar	
-55.0/+125.0 degrees celsius	ige.
Storage Tempurature Range	a.
-65.0/+150.0 degrees celsius	7.
Features Provided:	
Monolithic and schottky and lo	
Inclosure Material:	
Ceramic	
Inclosure Configuration:	
Flat pack	
Output Logic Form:	
Transistor-transistor logic	
Input Circuit Pattern:	
Triple 3 input	
Design Function And Quant	tity.
3 gate, and	
Case Outline Source And D	esignator
F-2 mil-m-38510	
Terminal Surface Treatment	
Solder	··
Voltage Rating And Type Pe	er Characteristic
7.0 volts power source	
Special Features:	
Nuclear hardness critical item	5
Nuclear Hardness Critical F	
Hardened	
Test Data Document:	
	ion (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
-	catalogs, industry directories, and similar trade publications, reflecting general type data on certain
	ce requirements and test conditions that are shown as "typical", "average", "", etc.).
Terminal Type And Quantity	
14 flat leads	
Specification Data:	
81349-mil-m-38510/340 gove	rnment specification
Shelf Life:	

N/a

NSN 5962-01-235-3486

Digital Microcircuit - Page 2 of 2

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A458a0

