NSN 5962-01-235-6986

A458a0

Digital-linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-235-6986

| view Offilite at https://defobasegroup.com/nsi//0302-01-255-0300 |
|--|
| Body Length: |
| Between 1.365 inches and 1.385 inches |
| Body Width: |
| Between 0.790 inches and 0.810 inches |
| Body Height: |
| Between 0.170 inches and 0.250 inches |
| Operating Tempurature Range: |
| -55.0 to 100.0 degrees celsius |
| Storage Tempurature Range: |
| -55.0 to 125.0 degrees celsius |
| Features Provided: |
| High speed and burn in and bipolar and unipolar |
| Inclosure Material: |
| Ceramic |
| Inclosure Configuration: |
| Dual-in-line |
| Output Logic Form: |
| Transistor-transistor logic |
| Input Circuit Pattern: |
| 12 input |
| Design Function And Quantity: |
| 1 converter, analog to digital |
| Precious Material And Location: |
| Terminal surfaces option gold |
| Precious Material: |
| Gold |
| Test Data Document: |
| 96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.). |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| Yes - demil/mli |
| Fiig: |