## NSN 5962-01-235-8926

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-235-8926

View Online at https://aerobasegroup.com/nsn/5962-01-235-8926	
Body Length:	
0.785 inches	
Body Width:	
0.310 inches	
Body Height:	
0.185 inches	
Maximum Power Dissipation Rating:	
200.0 milliwatts	
Operating Tempurature Range:	
-55.0/+125.0 degrees celsius	
Storage Tempurature Range:	
-65.0/+175.0 degrees celsius	
Features Provided:	
Monolithic and positive outputs	
Inclosure Material:	
Ceramic	
Inclosure Configuration:	
Dual-in-line	
Output Logic Form:	
Complementary-metal oxide-semiconductor logic	
Input Circuit Pattern:	
Quad 2 input	
Design Function And Quantity:	
4 gate, and	
Case Outline Source And Designator:	
D-1 mil-m-38510	
Terminal Surface Treatment:	
Solder	
Voltage Rating And Type Per Characteristic:	
18.0 volts power source	
Precious Material And Location:	
Terminal surfaces gold	
Precious Material:	
Gold	
Test Data Document:	
81349-mil-m-38510 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data	in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data of	on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).	
Terminal Type And Quantity:	
14 printed circuit	
Specification Data:	

81349-mil-m-38510/170 government specification

Shelf Life:

N/a

## NSN 5962-01-235-8926

Digital Microcircuit - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

Yes - demil/mli

Fiig:

A458a0

