NSN 5962-01-238-0886

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-238-0886

Body Lengtl	h:
0.530 inches	
Body Width:	:
Between 0.3	60 inches and 0.420 inches
Body Height	t:
Between 0.04	45 inches and 0.090 inches
Maximum P	ower Dissipation Rating:
193.0 milliwa	atts
Operating T	empurature Range:
-55.0/+125.0	degrees celsius
Storage Ten	npurature Range:
-65.0/+150.0	degrees celsius
Features Pro	ovided:
Hermetically	sealed and burn in and monolithic and low power and schottky
Inclosure Ma	aterial:
Ceramic and	l glass
Inclosure Co	onfiguration:
Flat pack	
Output Logi	ic Form:
Transistor-tra	ansistor logic
Input Circuit	t Pattern:
14 input	
Design Fund	ction And Quantity:
1 arithmetic I	logic unit
Case Outline	e Source And Designator:
F-6 mil-m-38	510
Terminal Su	Inface Treatment:
Solder	
Voltage Rati	ing And Type Per Characteristic:
7.0 volts pov	wer source
Test Data De	ocument:
81349-mil-m·	-38510 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; exclu	udes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmenta	al and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Terminal Ty	pe And Quantity:
24 flat leads	
Specificatio	n Data:
81349-mil-m	-38510/308 government specification
Shelf Life:	
N/a	
Unit Of Meas	sure:
 Demilitariza	tion:
	nli

NSN 5962-01-238-0886

Digital Microcircuit - Page 2 of 2

Fiig: A458a0

