NSN 5962-01-245-9773

Memory Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-245-9773 **Body Length:** 0.560 inches **Body Width:** 0.458 inches **Body Height:** 0.120 inches **Maximum Power Dissipation Rating:** 1.0 watts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -55.0/+150.0 degrees celsius **Features Provided:** Hermetically sealed and burn in and monolithic and static operation **Inclosure Material:** Ceramic **Inclosure Configuration:** Leadless flat pack **Output Logic Form:** Complementary-metal oxide-semiconductor logic **Input Circuit Pattern:** 22 input **Case Outline Source And Designator:** C-12 mil-m-38510 **Current Rating Per Characteristic:** 10.00 milliamperes reverse current, dc absolute **Terminal Surface Treatment:** Solder **Voltage Rating And Type Per Characteristic:** 7.0 volts power source **Memory Device Type:** Ram **Test Data Document:** 14933-84036 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) **Terminal Type And Quantity:** 32 leadless Shelf Life: N/a **Unit Of Measure:**

No

Demilitarization:

NSN 5962-01-245-9773

Memory Microcircuit - Page 2 of 2



Fiig:

A458a0