## NSN 5962-01-248-3542

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-248-3542

0.440 inches	
Body Width:	
0.285 inches	
Body Height:	
0.085 inches	
Maximum Power D	ssipation Rating:
138.0 milliwatts	
Operating Tempura	ture Range:
-55.0/+125.0 degree	s celsius
Storage Tempuratu	re Range:
-65.0/+150.0 degree	s celsius
Features Provided:	
Hermetically sealed	and burn in and bipolar and schottky and 3-state output and inverted output
Inclosure Material:	
Ceramic	
Inclosure Configur	ation:
Flat pack	
Output Logic Form	
Transistor-transistor	logic
nput Circuit Patter	n:
10 input	
Design Function A	nd Quantity:
4 selector, data, m	Itiplexer
Case Outline Sour	e And Designator:
F-5 mil-m-38510	
Terminal Surface T	reatment:
Solder	
Voltage Rating And	Type Per Characteristic:
7.0 volts power sou	ce
Test Data Docume	it:
81349-mil-m-38510	specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes co	mmercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and p	erformance requirements and test conditions that are shown as "typical", "average", "", etc.).
Terminal Type And	Quantity:
16 flat leads	
Specification Data:	
81349-mil-m-38510/	339 government specification
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	

## NSN 5962-01-248-3542

Digital Microcircuit - Page 2 of 2

**Fiig:** A458a0

