## NSN 5962-01-249-0338

Memory Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-249-0338

Body	Length:
0.840	-
Body	Width:
0.310	
Body	Height:
0.185	inches
Maxin	num Power Dissipation Rating:
739.0	milliwatts
Opera	ting Tempurature Range:
-55.0/-	-125.0 degrees celsius
Stora	ge Tempurature Range:
-65.0/-	-150.0 degrees celsius
Featu	res Provided:
Monol	thic and bipolar and programmable
Inclos	ure Material:
Ceram	ic
Inclos	ure Configuration:
Dual-ii	n-line
Outpu	t Logic Form:
Transi	stor-transistor logic
Input	Circuit Pattern:
6 inpu	t i i i i i i i i i i i i i i i i i i i
Case	Outline Source And Designator:
D-2 m	l-m-38510
Termi	nal Surface Treatment:
Solder	
Voltag	e Rating And Type Per Characteristic:
7.0 vo	ts power source
Memo	ry Device Type:
Rom	
Test D	Data Document:
49956	-954373 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
exclud	es any specification, standard or other document that may be referenced in a basic governing drawing)
Termi	nal Type And Quantity:
16 prir	ted circuit
Shelf	Life:
N/a	
Unit C	f Measure:
Demil	itarization:
Yes - o	demil/mli
Fiig:	
A458a	0