NSN 5962-01-252-0811

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-252-0811

Body Length:
1.290 inches
Body Width:
Between 0.500 inches and 0.610 inches
Body Height:
0.210 inches
Maximum Power Dissipation Rating:
200.0 milliwatts
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+175.0 degrees celsius
Features Provided:
Hermetically sealed and burn in and monolithic and positive outputs
Inclosure Material:
Ceramic
Inclosure Configuration:
Dual-in-line
Output Logic Form:
Complementary-metal oxide-semiconductor logic
Input Circuit Pattern:
Dual 7 input
Criticality Code Justification:
Zzzy
Design Function And Quantity:
2 latch
Case Outline Source And Designator:
D-3 mil-m-38510
Terminal Surface Treatment:
Gold
Voltage Rating And Type Per Characteristic:
-0.5 volts power source and 18.0 volts power source
Special Features:
Item must compy with requirements of defense supply center columbus production standard no l03663; for navy irpod only
Precious Material And Location:
Terminal surface option gold
Precious Material:
Gold
Test Data Document:
96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

24 printed circuit

Terminal Type And Quantity:

NSN 5962-01-252-0811

Digital Microcircuit - Page 2 of 2



Reference Number Differentiating Characteristics:

Reference number differentiating material will be in accordance with naval inventory control point activity hx quality control manufacturing and testing specifications available at the dla icp

N/a	
Unit Of Measure:	
Demilitarization:	

Fiig:

A458a0

Yes - demil/mli

Shelf Life: