# NSN 5962-01-253-1552

Memory Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-253-1552

## **Body Length:**

0.389 inches

#### **Body Width:**

0.389 inches

### **Body Height:**

0.100 inches

#### **Operating Tempurature Range:**

-40.0/+85.0 degrees celsius

### Storage Tempurature Range:

-65.0/+150.0 degrees celsius

## **Features Provided:**

Hermetically sealed and w/enable and burn in and static operation and electrostatic sensitive

#### **Inclosure Material:**

Ceramic

#### Inclosure Configuration:

Flat pack

#### **Output Logic Form:**

Emitter-coupled logic

# Input Circuit Pattern:

21 input

# **Terminal Surface Treatment:**

Solder

## Voltage Rating And Type Per Characteristic:

7.0 volts power source

## Time Rating Per Chacteristic:

10.00 nanoseconds propagation delay time, low to high level output and 10.00 nanoseconds propagation delay time, high to low level output

#### Memory Device Type:

Rom

## Memory Capacity:

Unknown

## Test Data Document:

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

## Terminal Type And Quantity:

24 flat leads

#### Shelf Life:

N/a

# Unit Of Measure:

---

# Demilitarization:

Yes - demil/mli

#### Fiig:

A458a0