

View Online at <https://aerobasegroup.com/nsn/5962-01-253-2858>

Body Length:

Between 1.265 inches and 1.280 inches

Body Width:

Between 0.765 inches and 0.780 inches

Body Height:

Between 0.155 inches and 0.175 inches

Maximum Power Dissipation Rating:

875.0 milliwatts

Operating Temperature Range:

-55.0/+125.0 degrees celsius

Storage Temperature Range:

-55.0/+125.0 degrees celsius

Features Provided:

Hermetically sealed and burn in and bipolar and positive outputs and electrostatic sensitive

Inclosure Material:

Ceramic

Inclosure Configuration:

Dual-in-line

Output Logic Form:

Transistor-transistor logic

Input Circuit Pattern:

9 input

Design Function And Quantity:

1 converter, digital to analog

Terminal Surface Treatment:

Tin

Voltage Rating And Type Per Characteristic:

12.0 volts power source

Time Rating Per Characteristic:

35.00 nanoseconds propagation delay time, low to high level output and 35.00 nanoseconds propagation delay time, high to low level output

Test Data Document:

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

Terminal Type And Quantity:

24 printed circuit

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A458a0