Memory Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-257-2131

# Body Length:

0.970 inches

# **Body Width:**

0.305 inches

# **Body Height:**

0.170 inches

## **Operating Tempurature Range:**

+0.0/+75.0 degrees celsius

## Storage Tempurature Range:

-65.0/+150.0 degrees celsius

## **Features Provided:**

Hermetically sealed and high speed and 3-state output and w/enable and programmable and schottky

## **Inclosure Material:**

Ceramic

## Inclosure Configuration:

Dual-in-line

# **Output Logic Form:**

Transistor-transistor logic

# Input Circuit Pattern:

10 input

# **Terminal Surface Treatment:**

Solder

## Voltage Rating And Type Per Characteristic:

-0.3 volts power source and 7.0 volts power source

## Time Rating Per Chacteristic:

60.00 nanoseconds propagation delay time, low to high level output and 60.00 nanoseconds propagation delay time, high to low level output

### Memory Device Type:

Rom

### **Memory Capacity:**

Unknown

### **Terminal Type And Quantity:**

20 printed circuit

### Shelf Life:

N/a

# Unit Of Measure:

---

## Demilitarization:

Yes - demil/mli

## Fiig:

A458a0