NSN 5962-01-261-2274

Linear Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-261-2274 **Body Length:** 2.020 inches **Body Width:** 2.020 inches **Body Height:** 0.485 inches **Maximum Power Dissipation Rating:** 62.5 watts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -55.0/+125.0 degrees celsius **End Application:** Missile, air-to-air, sparrow (aim-7) **Features Provided:** Hybrid and hermetically sealed and monolithic **Inclosure Material:** Metal **Inclosure Configuration:** Dual-in-line **Input Circuit Pattern:** 2 input **Design Function And Quantity:** 1 amplifier, operational, power **Terminal Surface Treatment:** Gold or solder or tin Voltage Rating And Type Per Characteristic: 120.0 volts power source **Precious Material And Location:** Terminal surfaces option gold **Precious Material:** Gold **Test Data Document:** 96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.). **Terminal Type And Quantity:** 10 printed circuit Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

Yes - demil/mli

NSN 5962-01-261-2274

Linear Microcircuit - Page 2 of 2



Fiig:

A458a0