NSN 5962-01-261-2298

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-261-2298 **Body Length:** 0.450 inches **Body Width:** 0.450 inches **Maximum Power Dissipation Rating:** 1.2 watts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **Features Provided:** Monolithic and programmable and bipolar **Inclosure Material:** Metal or plastic or ceramic **Inclosure Configuration:** Beam chip **Output Logic Form:** Transistor-transistor logic **Input Circuit Pattern:** 22 input **Design Function And Quantity:** 1 array, logic **Case Outline Source And Designator:** C-4 mil-m-38510 **Terminal Surface Treatment:** Gold **Voltage Rating And Type Per Characteristic:** -0.5 volts power source and 7.0 volts power source **Precious Material And Location:** Terminal surface option gold **Precious Material:** Gold **Test Data Document:** 96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.). **Terminal Type And Quantity:** 28 flat leads Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

Yes - demil/mli

NSN 5962-01-261-2298

Digital Microcircuit - Page 2 of 2



Fiig:

A458a0