NSN 5962-01-261-6462

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-261-6462

Body Length:	
0.785 inches	
Body Width:	
0.310 inches	
Body Height:	
0.180 inches	
Maximum Pow	rer Dissipation Rating:
1.0 watts	
Operating Tem	npurature Range:
-55.0/+125.0 de	egrees celsius
Storage Temp	urature Range:
-65.0/+150.0 de	egrees celsius
Features Provi	ided:
Hermetically se	aled and burn in and w/strobe and positive outputs
Inclosure Mate	erial:
Ceramic	
Inclosure Conf	figuration:
Dual-in-line	
Output Logic F	Form:
Transistor-trans	sistor logic
Input Circuit P	attern:
Dual 3 input	
Design Function	on And Quantity:
2 driver, memo	iry
Case Outline S	Source And Designator:
D-6 mil-m-3851	0
Terminal Surfa	ice Treatment:
Solder	
Voltage Rating	And Type Per Characteristic:
25.0 volts powe	er source
Time Rating Po	er Chacteristic:
50.00 nanoseco	onds propagation delay time, low to high level output and 50.00 nanoseconds propagation delay time, high to low level
output	
Test Data Docu	ument:
96906-mil-std-8	83 standard (includes industry or association standards, individual manufactureer standards, etc.).
Terminal Type	And Quantity:
18 printed circu	it
Shelf Life:	
N/a	
Unit Of Measu	re:
 Demilitarizatio	n:
Yes - demil/mli	

NSN 5962-01-261-6462

Digital Microcircuit - Page 2 of 2

Fiig: A458a0

