NSN 5962-01-262-1273

Memory Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-262-1273 **Body Length:** 0.425 inches **Body Width:** 0.290 inches **Body Height:** 0.120 inches **Maximum Power Dissipation Rating:** 1.0 watts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **Features Provided:** Monolithic and static operation **Inclosure Material:** Metal or ceramic or plastic **Inclosure Configuration:** Leadless flat pack **Output Logic Form:** Complementary-metal oxide-semiconductor logic **Input Circuit Pattern:** 18 input **Case Outline Source And Designator:** C-13 mil-m-38510 **Terminal Surface Treatment:** Solder or tin or gold Voltage Rating And Type Per Characteristic: 7.0 volts power source **Memory Device Type:** Ram **Precious Material And Location:** Terminal surface option gold **Precious Material:** Gold **Test Data Document:** 96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.). **Terminal Type And Quantity:** 20 leadless Shelf Life: N/a

--

Unit Of Measure:

NSN 5962-01-262-1273

Memory Microcircuit - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A458a0