NSN 5962-01-262-2847

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-262-2847

Body Length:

Between 3.168 inches and 3.232 inches

Body Width:

Between 0.880 inches and 0.900 inches

Body Height:

0.165 inches

Maximum Power Dissipation Rating:

1.5 watts

Operating Tempurature Range:

-55.0/+110.0 degrees celsius

Storage Tempurature Range:

-65.0/+150.0 degrees celsius

Features Provided:

Monolithic and w/clock and hermetically sealed

Inclosure Material:

Ceramic

Inclosure Configuration:

Dual-in-line

Output Logic Form:

N-type metal oxide-semiconductor logic

Input Circuit Pattern:

27 input

Design Function And Quantity:

1 microprocessor

Current Rating Per Characteristic:

320.00 milliamperes total supply

Terminal Surface Treatment:

Solder

Voltage Rating And Type Per Characteristic:

7.0 volts power source

Time Rating Per Chacteristic:

125.00 nanoseconds propagation delay time, low to high level output and 125.00 nanoseconds propagation delay time, high to low level output

Test Data Document:

81349-mil-m-38510 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Terminal Type And Quantity:

64 printed circuit

Specification Data:

81349-mil-m-38510/540 government specification

Shelf Life:

N/a

Unit Of Measure:

NSN 5962-01-262-2847

Digital Microcircuit - Page 2 of 2



_						
11	em)	 tor	172	+ 1	nn	

No

Fiig:

A458a0