NSN 5962-01-264-2968

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-264-2968 **Body Length:** 0.540 inches **Body Width:** 0.300 inches **Body Height:** 0.092 inches **Maximum Power Dissipation Rating:** 700.0 milliwatts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius **Storage Tempurature Range:** -65.0/+150.0 degrees celsius **Features Provided:** Monolithic and synchronous and bipolar **Inclosure Material:** Ceramic **Inclosure Configuration:** Flat pack **Output Logic Form:** Bipolar metal-oxide semiconductor **Input Circuit Pattern:** 12 input **Design Function And Quantity:** 1 counter, binary, up/down **Case Outline Source And Designator:** F-9 mil-m-38510 **Current Rating Per Characteristic:** 43.00 milliamperes reverse current, dc absolute **Terminal Surface Treatment:** Tin **Voltage Rating And Type Per Characteristic:** 7.0 volts total supply **Test Data Document:** 96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.). **Terminal Type And Quantity:** 20 flat leads Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

Yes - demil/mli

NSN 5962-01-264-2968

Digital Microcircuit - Page 2 of 2



Fiig:

A458a0