NSN 5962-01-264-3022

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-264-3022

Body Length:	
1.290 inches	
Body Width:	
0.580 inches	
Body Height:	
0.230 inches	
Maximum Power Dissipation Rating:	
500.0 milliwatts	
Operating Tempurature Range:	
-55.0/+125.0 degrees celsius	
Storage Tempurature Range:	
-65.0/+150.0 degrees celsius	
Features Provided:	
Hermetically sealed and burn in and w/strobe and w/reset and 3-state output	
Inclosure Material:	
Ceramic	
Inclosure Configuration:	
Dual-in-line	
Output Logic Form:	
Complementary-metal oxide-semiconductor logic	
Input Circuit Pattern:	
Dual 7 input	
Criticality Code Justification:	
Feat	
Design Function And Quantity:	
2 latch	
Case Outline Source And Designator:	
Mo-015aa joint electron device engineering council	
Terminal Surface Treatment:	
Solder	
Voltage Rating And Type Per Characteristic:	
-0.5 volts power source and 7.0 volts power source	
Special Features:	
Item must comply with requirements of defense electronics supply center production standard no. L03819; for navy nuclea	r propulsion plant
products only	
Test Data Document:	
96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).	
Terminal Type And Quantity:	
24 printed circuit	
Shelf Life:	
N/a	
Unit Of Measure:	

NSN 5962-01-264-3022

Digital Microcircuit - Page 2 of 2

Demilitarization:

Yes - demil/mli

Fiig:

A458a0

