NSN 5962-01-266-9033

Memory Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-266-9033 **Body Length:** 0.930 inches **Body Width:** 0.310 inches **Body Height:** 0.160 inches **Maximum Power Dissipation Rating:** 1.2 watts **Operating Tempurature Range:** +0.0/+70.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **End Application:** 5895-01-217-7657 matrix, switchin **Features Provided:** Hermetically sealed and static operation and w/enable and 3-state output **Inclosure Material:** Ceramic **Inclosure Configuration:** Dual-in-line **Output Logic Form:** Metal oxide-semiconductor logic **Input Circuit Pattern:** 15 input **Terminal Surface Treatment:** Solder Voltage Rating And Type Per Characteristic: 5.0 volts power source **Time Rating Per Chacteristic:** 70.00 nanoseconds propagation delay time, low to high level output and 70.00 nanoseconds propagation delay time, high to low level output **Memory Device Type:** Ram **Memory Capacity:** Unknown **Terminal Type And Quantity:** 18 printed circuit Shelf Life: N/a

Demilitarization:

Yes - demil/mli

Unit Of Measure:

NSN 5962-01-266-9033

Memory Microcircuit - Page 2 of 2



Fiig:

A458a0