NSN 5962-01-267-2299

Digital Microcircuit - Page 1 of 2

Yes - demil/mli



View Online at https://aerobasegroup.com/nsn/5962-01-267-2299

View Online at https://aerobasegroup.com/nsn/5962-01-267-2299	
Body Length:	
0.840 inches	
Body Width:	
0.310 inches	
Body Height:	
0.185 inches	
Maximum Power Dissipation Rating:	
187.0 milliwatts	
Operating Tempurature Range:	
55.0/+125.0 degrees celsius	
Storage Tempurature Range:	
65.0/+150.0 degrees celsius	
Features Provided:	
Monolithic and cascadable and schottky	
nclosure Material:	
Ceramic	
nclosure Configuration:	
Dual-in-line	
Output Logic Form:	
Transistor-transistor logic	
nput Circuit Pattern:	
Quad 2 input	
Design Function And Quantity:	
1 register	
Case Outline Source And Designator:	
D-2 mil-m-38510	
Terminal Surface Treatment:	
Solder	
Voltage Rating And Type Per Characteristic:	
7.0 volts power source	
Test Data Document:	
81349-mil-m-38510 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in speci	ification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certai	in
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).	
Terminal Type And Quantity:	
16 printed circuit	
Specification Data:	
81349-mil-m-38510/350 government specification	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
Vac damil/ali	

NSN 5962-01-267-2299

Digital Microcircuit - Page 2 of 2

Fiig: A458a0

