## NSN 5962-01-267-4611

Linear Microcircuit - Page 1 of 2



view Online at https://aerobasegroup.com/nsn/5962-01-267-4611
Body Length:
Between 0.753 inches and 0.785 inches
Body Width:
Between 0.265 inches and 0.285 inches
Body Height:
Between 0.140 inches and 0.170 inches
Maximum Power Dissipation Rating:
588.0 milliwatts
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
End Application:
Nimitz class cvn; support equipment, f-15 aircraft; radio set (an/prc-104)
Features Provided:
Monolithic and hermetically sealed and w/sample and hold
Inclosure Material:
Ceramic
Inclosure Configuration:
Dual-in-line
Input Circuit Pattern:
Dual 2 input
Criticality Code Justification:
Feat
Design Function And Quantity:
2 switch, analog, single pole single throw normally open
Terminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
15.0 volts power source
Special Features:
Weapon system essential
Test Data Document:
96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).
Terminal Type And Quantity:
14 printed circuit
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No

## NSN 5962-01-267-4611

Linear Microcircuit - Page 2 of 2



Fiig:

A458a0